

## BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Application for increase in water and wastewater rates in Alachua, Brevard, DeSoto, Highlands, Lake, Lee, Marion, Orange, Palm Beach, Pasco, Polk, Putnam, Seminole, Sumter, Volusia, and Washington Counties by Aqua Utilities Florida, Inc.

DOCKET NO. 080121-WS  
ORDER NO. PSC-10-0297-PAA-WS  
ISSUED: May 10, 2010

The following Commissioners participated in the disposition of this matter:

NANCY ARGENZIANO, Chairman  
LISA POLAK EDGAR  
NATHAN A. SKOP  
DAVID E. KLEMENT  
BEN A. "STEVE" STEVENS III

NOTICE OF PROPOSED AGENCY ACTION  
ORDER APPROVING PHASE II MONITORING PLAN

BY THE COMMISSION:

NOTICE is hereby given by the Florida Public Service Commission that the action discussed herein is preliminary in nature and will become final unless a person whose interests are substantially affected files a petition for a formal proceeding, pursuant to Rule 25-22.029, Florida Administrative Code.

I. Background

By Order No. PSC-09-0385-FOF-WS (Final Order), issued on May 29, 2009, in this docket, we found that the quality of service provided by Aqua Utilities Florida, Inc. (AUF) was marginal for all systems, except for the Chuluota system, which was unsatisfactory. Also, we noted that a consent order for The Woods' water and wastewater systems had just been closed, and made the increased rates for those systems subject to refund with interest should the systems become subject to a Department of Environmental Protection (DEP) consent order within 18 months of the issuance of the Final Order.

Because of concerns with AUF's customer service, we created an AUF Monitoring Plan which was to last six months. The three major areas of concern targeted in the Monitoring Plan included: (1) AUF's failure to handle customer complaints properly, (2) AUF's Call Center's process for handling complaints, and (3) incorrect meter readings and resulting improper bills. AUF was required to submit monthly reports and sound recordings of customer complaints, as well as meter reading route schedules and meter reading logs, in order to verify the accuracy of the meter readings and resulting customer bills. Upon the completion of these reporting

DOCUMENT NUMBER-DATE

03915 MAY 10 2

FPSC-COMMISSION CLERK

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 2

requirements, our staff was to present its conclusions and recommendations regarding AUF's performance.

Our staff filed its recommendation for the March 16, 2010, Agenda Conference presenting the results of its review into the quality of service provided by AUF as required by the Final Order. In addition, our staff provided an update of the Utility's compliance with the DEP and County Health Departments which oversee AUF's quality of product and the operational condition of the water and wastewater facilities.

After hearing from our staff, parties, and a number of customers at the Agenda Conference, we concluded that, while preliminary results show substantial improvement in AUF's customer service, additional monitoring was required to ultimately render a determination as to the adequacy of AUF's quality of service. We ordered our staff to continue monitoring the customer service provided by AUF through calendar year 2010, including customer complaints, meter reading and billing accuracy, and environmental compliance.<sup>1</sup> In preparing a subsequent monitoring plan, we directed our staff to emphasize specific areas that were discussed at the Agenda Conference, including the procedures and accuracy of estimated bills, and the appropriate methods and costs to improve the aesthetic quality of water in certain targeted systems. Further, we instructed our staff to work collaboratively with AUF and the other parties in order to develop a cost-effective, efficient, and meaningful monitoring plan, and to bring the supplemental monitoring plan to us within 45 days.

Our staff met in noticed meetings with representatives from AUF, the Office of Public Counsel (OPC), and the Office of the Attorney General (AG) on March 25 and April 5, 2010, to discuss the specifics of a cost-effective monitoring plan consistent with our direction. In addition, several customer representatives participated in the meetings via conference call. This Order addresses the AUF/OPC Proposed Phase II Monitoring Plan of AUF's Quality of Service and additional requirements for the Supplemental Monitoring Plan as we required in Order No. PSC-10-0218-PAA-WS, issued April 6, 2010.

We have jurisdiction pursuant to Sections 367.011(2), 367.081, and 367.111, Florida Statutes (F.S.).

## II. Phase II Monitoring Plan Proposed by AUF and OPC

As stated earlier, we directed our staff to continue monitoring the customer service provided by AUF through calendar year 2010, and to work collaboratively with AUF and the other parties in order to develop a cost-effective, efficient and meaningful monitoring plan. Our staff met with representatives from AUF, OPC, and the AG's Office in noticed meetings on March 25 and April 5, 2010, to discuss the specifics of a cost-effective monitoring plan consistent with our direction. In addition, several customer representatives participated in the meetings via conference call. At the April 5, 2010, meeting, AUF and OPC agreed to a joint proposed Phase II Monitoring Plan. AUF and OPC ultimately submitted their Agreement on Scope of Phase II Monitoring, and that document is appended to this Order as Attachment 1.

<sup>1</sup> See Order No. PSC-10-0218-PAA-WS issued April 6, 2010, in this docket.

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 3

In essence, the Phase II Monitoring Plan proposed by AUF and OPC includes monitoring through calendar year 2010 customer complaints, estimated meter readings, and aesthetic water quality for seven of AUF's water systems. The specific methods to accomplish this monitoring are discussed below.

#### A. Customer Complaints

With regard to customer complaints, AUF will provide reports and supporting documents on a monthly basis that track the customer calls received by AUF's call centers. (See Nos. 1(a) and (b), and 4, on Attachment 1.) These documents will be provided to all parties in the docket and placed in this docket file within one month and ten days of the end of the relevant reporting period. For example, reports for the month of May will be filed no later than July 10, 2010. The documents include:

- Management Quality Performance Report -- This report tracks on a monthly basis the reasons for customer calls. It is used by AUF management to gain an understanding of recent performance and any adverse trends. AUF has agreed to provide the historical trend line for this report and a monthly "Florida Scorecard," which includes quality of service metrics. In addition, the supporting non-proprietary information for each of the complaint-related calls that underlies the monthly Management Quality Performance Reports will be provided each month.
- Call Center Monitoring Statistics -- This report tracks the key performance indicators of its call centers on a monthly basis and is used to ascertain whether AUF is meeting its targeted service performance levels. AUF will also provide the monthly Call Quality Report for all call centers through the end of calendar year 2010 and on a historical basis. This report will be formatted such that monthly data can be tracked for each of the call centers separately. In the initial report, AUF will provide a narrative of its efforts to ensure quality control at its call centers.
- Aged Service Order Status Report -- This report tracks AUF's service order log and the timeliness of closing service order requests. This report should address concerns raised by OPC and customers regarding missed commitments.

In addition, in the Phase II Monitoring Plan, AUF agrees to provide an opportunity for an OPC representative to visit one of its call centers and tour the facility.

We agree with AUF and OPC that the data contained in the above-described documents should contain relevant information for all parties to use in evaluating AUF's response to customer complaints. After reviewing these reports, our staff and the parties can conduct discovery, if necessary, in order to follow up on questions that may arise or trends that are identified. Further, since these documents are currently being produced for use by AUF management, we find this is an efficient and cost-effective means of gathering the necessary monitoring information with regard to customer complaints.

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 4

Item No. 2 of the proposed Phase II Monitoring Plan states that our staff will track complaints filed at the Commission by AUF customers. In this regard, our staff will produce a monthly report which tracks complaints filed at the Commission Call Center. This report will indicate the number of complaints received for the month, the type of complaint, the dates the complaint was opened and closed, and the county in which the customer resides. Our staff will provide this report each month to all parties and place it in the docket file.

During both meetings held with the parties to discuss a subsequent monitoring plan, one of the customers suggested that, in addition to the filing of the above reports, a survey of AUF customers should be conducted in order to determine whether customers' concerns are adequately being addressed by AUF. We do not believe another survey would be an effective method of evaluating AUF's efforts to address customer concerns at this time. As noted in the staff recommendation dated March 4, 2010, during the initial monitoring phase, our staff sent out a customer satisfaction survey to 900 customers selected at random over a six-month period from the AUF monthly customer complaint logs. After analyzing the responses, reviewing the customer comments, and talking to over 100 customers, it appeared that the survey did not accurately measure AUF's customer service performance. Rather it appeared that many customers were evaluating AUF's rates, not whether their specific concerns were appropriately addressed. We believe the monitoring plan proposed by AUF, and agreed to by OPC, is a more efficient, cost-effective, and focused method to evaluate AUF's performance. As mentioned previously, these monthly reports will provide meaningful data with which to evaluate recent performance and identify trends. Also, our staff and the parties will be able to conduct discovery on the reports to obtain more granular data, if necessary.

#### B. Estimated Meter Readings

According to Item No. 1(c) in the Phase II Monitoring Plan, AUF will provide an Estimated Read Report on a monthly basis to the parties and the our docket file. Our staff and the parties can use this report to track the number of estimated reads and as a basis to investigate adverse trends. If necessary, the parties or staff can request more detail in order to ascertain the cause of the estimated readings and how it has or will be resolved. Because this is also a report that is currently being produced and used by AUF management, we find this is a cost-effective means of monitoring estimated meter readings.

#### C. Secondary Drinking Water Standards (Aesthetics)

In Item No. 6 in the proposed Phase II Monitoring Plan, AUF agrees to monitor, on a monthly basis through the end of 2010, the secondary drinking water constituents under the Florida and Federal Safe Drinking Water Acts and report the results. This monitoring will be performed on the following seven water systems:

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 5

<u>Name of System</u>	<u>County</u>	<u>Number of Residential Customers</u>
Lake Josephine	Highlands	514
Leisure Lakes	Highlands	248
Sebring Lakes	Highlands	66
Rosalie Oaks	Polk	81
Tangerine	Orange	236
Tomoka View	Volusia	258
Zephyr Shores	Pasco	389

AUF chose seven systems to monitor, believing that to be a manageable number of systems to include in the project. The systems were selected based upon the following criteria:

- Review of customer comments at public hearings;
- Internal review of number of customer complaints on water quality issues;
- Review of water quality data from Secondary Drinking Water test results;
- Input from AUF area coordinators on aesthetic water quality issues; and
- Results of AUF's customer survey

We find that this is a cost-effective method to study the cause of, and solutions for, aesthetic water quality concerns. A review of the customer testimony from service hearings and other data regarding secondary water quality testing results shows that the seven systems selected by AUF are appropriate for an initial monitoring project. It is our understanding that AUF's efforts to address aesthetic water quality issues are not limited to these seven systems. AUF has also been actively working on improving aesthetics for a number of its systems and has already begun to spend capital dollars associated with those solutions.

Item No. 6 of the proposed Phase II Monitoring Plan also establishes a Joint Secondary Water Quality Task Force, consisting of representatives from AUF, OPC, other parties, and one or two designated customer representatives from each of the seven system locations. There will be two meetings of the task force at each of the seven chosen locations to discuss the aesthetic concerns affecting the system, possible solutions, and associated costs. The monitoring plan also includes a mid-point meeting with our staff, OPC, and the other parties to discuss the results of the aesthetics monitoring and possible solutions.

According to Item No. 7 of the proposed monitoring plan, AUF will submit a report by February 2011, summarizing the results of its Phase II reporting requirements, including a briefing on the results of its meetings with customers in connection with the Joint Secondary Water Quality Task Force. The report will be provided to all parties and our staff, and filed in the docket file. Parties will have an opportunity to respond to the AUF report. Our staff will

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 6

subsequently present its conclusions on the results of the Phase II Monitoring Plan along with its recommendations, if any, for our further action.

### III. Commission Additions to the Phase II Monitoring Plan

In addition to the items contained in the AUF/OPC Phase II Monitoring Plan, we find that the plan shall address environmental compliance and a further evaluation of the customer billing samples. These two items were specifically discussed by us at the March 16 Agenda Conference, and shall be included in the Phase II Monitoring Plan. A description of the monitoring effort for these two additional areas of concern follows.

#### A. Environmental Compliance

With regard to environmental compliance, our staff shall obtain and review copies of enforcement actions taken by the DEP, the County Health Departments, and the Water Management Districts (WMDs) through the end of 2010 for each of AUF's water and wastewater systems under our jurisdiction. As part of the monitoring plan, AUF shall provide quarterly updates by July 10, 2010, and September 10, 2010, describing the status of all outstanding warning letters, consent orders, and notices of violation. The quarterly updates shall include those enforcement actions identified in the Final Order and any additional warning letters, consent orders, or notices of violation issued during the period. The reports shall further include AUF's plan to resolve each violation. This information shall also be provided by AUF as part of its final report on all aspects of the Phase II Monitoring Plan that will be submitted by February 2011.

Although the Chuluota water system (Chuluota) is not specifically included in the seven systems identified in the C. Secondary Drinking Water Standards (Aesthetics) section of this Order, we note that the Chuluota system is on a separate expedited track. Pursuant to a modified Consent Order with DEP (modification dated August 10, 2009), AUF is to place on line, by July 2010, an anion exchange system for the Chuluota system. This anion exchange system is designed to improve the water such that both the primary and secondary standards are met. Our staff shall monitor the implementation of this anion exchange system to include not only whether the primary standards are met but also the secondary standards. A report on the Chuluota system shall be included in AUF's February 2011 final report to the Commission, and shall address compliance with both the primary and secondary standards

#### B. Meter Reading and Customer Billing Samples

This part of the monitoring plan looks at whether AUF is properly reading customers' meters and whether the bills customers receive reflect the usage indicated by these meter readings. In its initial evaluation, our staff randomly sampled 358 meter readings taken by AUF and compared those readings to a corresponding set of meter readings taken by Commission staff. Of these 358 meter readings taken by AUF, none were found to be significantly different from the meter readings taken by our staff. Therefore, we find that no further testing of AUF's meter reading accuracy is necessary.

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 7

Also as part of its initial evaluation, our staff randomly sampled 50 customer bills to determine if these bills were properly based upon the meter readings taken by AUF. Although all of the customer bills were appropriately based upon the usage indicated by the meter readings, we had concerns at the March 16 Agenda Conference that the sample size of 50 may not be sufficient to provide adequate assurance that all customer bills are appropriately based on actual meter readings. Therefore, this sample shall be expanded to the same sample size of 358 used to determine the adequacy of AUF's meter reading. This will allow a determination to be made of the adequacy of AUF's billing system on the same basis as the aggregate meter reading sample.

#### IV. Conclusion

As discussed above, the Phase II Monitoring Plan submitted by AUF and OPC outlines an efficient, cost-effective means of monitoring AUF's quality of service. Therefore, we approve the plan. In addition, the Phase II Monitoring Plan shall address environmental compliance and a further evaluation of the customer billing samples as set out above.

Based on the foregoing, it is

ORDERED by the Florida Public Service Commission that the Phase II Monitoring Plan as discussed in the body of this Order is approved. It is further

ORDERED that Aqua Utilities Florida, Inc., and our staff shall file all reports as required by the Phase II Monitoring Plan. It is further

ORDERED that the Phase II Monitoring Plan shall include the addressing of environmental compliance and the further evaluation of the customer billing samples as set forth in the body of this Order. It is further

ORDERED that our staff shall monitor implementation of the anion exchange system, and both our staff and Aqua Utilities Florida, Inc., shall address compliance with both the primary and secondary standards for the Chuluota water system as set forth in the body of this Order. It is further


ORDERED that the provisions of this Order, issued as proposed agency action, shall become final and effective upon the issuance of a Consummating Order unless an appropriate petition, in the form provided by Rule 28-106.201, Florida Administrative Code, is received by the Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, by the close of business on the date set forth in the "Notice of Further Proceedings" attached hereto. It is further

ORDERED that if no person whose substantial interests are affected by the proposed agency action files a protest within twenty-one days of the issuance of the Order, a Consummating Order will be issued. However the docket shall remain open pending the outcome of the Phase II Monitoring Plan. It is further

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 8

ORDERED that the docket shall remain open contingent on the DEP not issuing any further consent orders regarding The Woods water and wastewater systems within 18 months of the Final Order issued on May 29, 2009.

By ORDER of the Florida Public Service Commission this 10th day of May, 2010.

  
ANN COLE  
Commission Clerk

(SEAL)

RRJ

NOTICE OF FURTHER PROCEEDINGS OR JUDICIAL REVIEW

The Florida Public Service Commission is required by Section 120.569(1), Florida Statutes, to notify parties of any administrative hearing that is available under Section 120.57, Florida Statutes, as well as the procedures and time limits that apply. This notice should not be construed to mean all requests for an administrative hearing will be granted or result in the relief sought.

Mediation may be available on a case-by-case basis. If mediation is conducted, it does not affect a substantially interested person's right to a hearing.

The action proposed herein is preliminary in nature. Any person whose substantial interests are affected by the action proposed by this order may file a petition for a formal proceeding, in the form provided by Rule 28-106.201, Florida Administrative Code. This petition must be received by the Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, by the close of business on May 31, 2010.

In the absence of such a petition, this order shall become final and effective upon the issuance of a Consummating Order.

Any objection or protest filed in this/these docket(s) before the issuance date of this order is considered abandoned unless it satisfies the foregoing conditions and is renewed within the specified protest period.



ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 9

Attachment 1  
Page 1 of 7

Aqua Utilities Florida/OPC  
Agreement on Scope of Phase II Monitoring

#### **1. Reports to Provide Staff and OPC**

Aqua will file the following monthly reports that are utilized by Aqua to track service performance:

**a) Management Quality Performance Report (Example attached as Exhibit "A").**

This report tracks on a monthly basis the reasons for customer calls. The report provides management an understanding of recent performance and any concerning trends. Variances or changes are reviewed and investigated by management each month. For example, if a month shows elevated "no water" calls, the outage history in that area is investigated. Aqua will provide the historical trend line for this report. Aqua will also provide the supporting non-proprietary information for each of the complaint-related calls that underlies the monthly reports. In addition, Aqua will provide a monthly "Florida Scorecard", which will include quality of service metrics, with the understanding that this "Scorecard" is a work in progress and is used internally by Aqua for evaluating job performance.

**b) Call Center Monitoring Statistics Report (Example attached as Exhibit "B").**

Using this report, Aqua tracks the key performance indicators of its call centers on a monthly basis. This information is used to ascertain whether Aqua is meeting its targeted service performance levels. Aqua will also provide a monthly CSR Call Quality Report for all call centers through December 31, 2010, and on a historical basis. The CSR Call Quality Report will be formatted such that monthly data can be tracked for each of the calls centers separately, including the Cary, N.C. call center. In its initial report, Aqua will provide a narrative of the company's efforts to ensure quality control at its call centers.

**c) Estimated Read Report (Example attached as Exhibit "C").**

An estimated read report is circulated and reviewed to track estimated reads on a monthly basis. Estimated reads can occur for varying reasons, e.g. weather, malfunction of the meter, etc. Aqua tracks its estimated reads and investigates concerning trends.

- 2. Tracking of PSC complaints will be covered by PSC staff under the Pac's current tracking system.**
- 3. Aqua and OPC agree that the production of sound recordings and meter logs should be eliminated.**

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 10

Attachment 1  
Page 2 of 7

**4. Aged Service Order Status Report (Example attached as Exhibit "D").**

In order to address the OPC's concern regarding "missed commitments" Aqua will file its monthly Aged Service Order Status Reports for all customer initiated calls. This report is utilized by management to track AUF's service order log and the timeliness of closing of service order requests. This report includes, for example, service orders related to water quality service, no water reports, and requests to fix a broken meter.

**5. In order to better apprise the OPC of Aqua's commitment to quality of service, during the Phase II Monitoring, Aqua will provide for an OPC representative to visit one of its call centers and tour the facility.**

**6. Establish Joint Secondary Water Quality Task Force**

- Monitoring Aesthetics. AUF will agree to monitor on a monthly basis through December 31, 2010 secondary constituents under the Florida and Federal Safe Drinking Water Acts, and report the results. Monitoring will be performed on seven of AUF's systems: Tangerine, Zephyr Shores, Tomoka, Leisure Lakes, Lake Josephine, Rosalie Oaks and Sebring Lakes. AUF identified these 7 systems utilizing the following criteria:
  - Review of comments from customers at public hearing
  - Internal review of number of customer inquiries dealing with water quality issues
  - Review of water quality data on Secondary Water Quality results
  - Information from Area Coordinators on aesthetic issues they deal with in their systems
  - Survey results from customers
- Meetings with OPC, parties and Designated Customer Representatives (14 in Total)
  - First Meeting: By the end of Month 2 of the monitoring program, AUF will meet with OPC, parties and 1 or 2 designated customer representatives at each of the 7 system locations to constructively discuss the aesthetic concern effecting the system and possible solutions to the aesthetic concern
  - Second Meeting: By end of Month 4, AUF will have follow-up meetings with those participating in the First Meeting to continue to discuss aesthetic concerns and focus more on possible solutions and associated costs

ORDER NO. PSC-10-0297-PAA-WS  
DOCKET NO. 080121-WS  
PAGE 11

Attachment 1  
Page 3 of 7

- Mid-Point Meeting with FPSC Staff
  - By the end of Month 3, AUF will meet with staff (and OPC and the other parties) in Tallahassee to discuss the results of aesthetics monitoring and possible solutions to aesthetic concerns

**7. Annual Report by Aqua to the Commission**

Aqua will submit a report by February 2011 summarizing the results of its Phase II reporting requirements, which will include a briefing on the results of its meetings with customers in connection with the Joint Secondary Water Quality Task Force.

8. During Phase II Monitoring, Aqua will file copies of the reports within 1 month and 10 days of the end of the relevant period. For example, reports for the month of May will be filed not later than July 10, 2010.
9. The Commission will decide whether the docket should be closed after reviewing all of the data submitted during the Phase II Monitoring process.

ORDER NO. PSC-10-0297-PAA-WS  
 DOCKET NO. 080121-WS  
 PAGE 12

Attachment 1  
 Page 4 of 7

QUALITY PERFORMANCE REPORT			
Florida Customers			
Feb-10			
		Percent:	Total Calls:
1	Move In or Move Out	20%	899
2	Pay by Phone - Speedpay	15%	679
3	Verify Account Balance	11%	490
4	Restore Service	6%	283
5	Customer Account Changes	6%	273
6	Explain Bill	5%	220
7	Payment Confirmation Number	5%	200
8	Verify Receipt of Payment	4%	176
9	Payment Arrangement	4%	176
10	Shut-Off Notice	4%	157
	All Other Calls	19%	845
	Total calls	100%	4,398

Exhibit A

ORDER NO. PSC-10-0297-PAA-WS  
 DOCKET NO. 080121-WS  
 PAGE 13

Attachment I  
 Page 5 of 7

Call Center Statistics	October-09	November-09	December-09	Standard Goal
Customers (approx.)	858,041	858,041	858,041	
Total Calls	89,915	81,148	82,417	
Days Open	22	19	22	
Average Calls/Day	4,087	4,271	3,746	
Abandon Rate	3.5%	4.8%	3.1%	
Calls Answered in < 90 seconds	85%	81%	86%	
Average Speed to Answer	36 sec	51 sec	33 sec	
Average Handle Time	4:46	4:43	4:34	
Calls/Customer/Yr	1.2	1.2	1.1	
Average #CSR/Day	64.0	64.9	64.2	
Calls Answered	86,768	77,253	79,862	

Exhibit B

ORDER NO. PSC-10-0297-PAA-WS  
 DOCKET NO. 080121-WS  
 PAGE 14

Attachment 1  
 Page 6 of 7

## ESTIMATION RATE BY STATE




Exhibit C

ORDER NO. PSC-10-0297-PAA-WS  
 DOCKET NO. 080121--WS  
 PAGE 15

Attachment I  
 Page 7 of 7

**Aqua America Aged Service Orders**  
**Florida**  
 Status: O - Needs to be Worked In the Field  
 Run Date: 4/1/10

CODE	000000	000001	000002	000003	000004	000005	000006	000007	000008	000009	000010	000011	000012	000013	000014	000015	000016	000017	000018	000019	000020	000021	000022	000023	000024	000025	000026	000027	000028	000029	000030	000031	000032	000033	000034	000035	000036	000037	000038	000039	000040	000041	000042	000043	000044	000045	000046	000047	000048	000049	000050	000051	000052	000053	000054	000055	000056	000057	000058	000059	000060	000061	000062	000063	000064	000065	000066	000067	000068	000069	000070	000071	000072	000073	000074	000075	000076	000077	000078	000079	000080	000081	000082	000083	000084	000085	000086	000087	000088	000089	000090	000091	000092	000093	000094	000095	000096	000097	000098	000099	000100	000101	000102	000103	000104	000105	000106	000107	000108	000109	000110	000111	000112	000113	000114	000115	000116	000117	000118	000119	000120	000121	000122	000123	000124	000125	000126	000127	000128	000129	000130	000131	000132	000133	000134	000135	000136	000137	000138	000139	000140	000141	000142	000143	000144	000145	000146	000147	000148	000149	000150	000151	000152	000153	000154	000155	000156	000157	000158	000159	000160	000161	000162	000163	000164	000165	000166	000167	000168	000169	000170	000171	000172	000173	000174	000175	000176	000177	000178	000179	000180	000181	000182	000183	000184	000185	000186	000187	000188	000189	000190	000191	000192	000193	000194	000195	000196	000197	000198	000199	000200	000201	000202	000203	000204	000205	000206	000207	000208	000209	000210	000211	000212	000213	000214	000215	000216	000217	000218	000219	000220	000221	000222	000223	000224	000225	000226	000227	000228	000229	000230	000231	000232	000233	000234	000235	000236	000237	000238	000239	000240	000241	000242	000243	000244	000245	000246	000247	000248	000249	000250	000251	000252	000253	000254	000255	000256	000257	000258	000259	000260	000261	000262	000263	000264	000265	000266	000267	000268	000269	000270	000271	000272	000273	000274	000275	000276	000277	000278	000279	000280	000281	000282	000283	000284	000285	000286	000287	000288	000289	000290	000291	000292	000293	000294	000295	000296	000297	000298	000299	000300	000301	000302	000303	000304	000305	000306	000307	000308	000309	000310	000311	000312	000313	000314	000315	000316	000317	000318	000319	000320	000321	000322	000323	000324	000325	000326	000327	000328	000329	000330	000331	000332	000333	000334	000335	000336	000337	000338	000339	000340	000341	000342	000343	000344	000345	000346	000347	000348	000349	000350	000351	000352	000353	000354	000355	000356	000357	000358	000359	000360	000361	000362	000363	000364	000365	000366	000367	000368	000369	000370	000371	000372	000373	000374	000375	000376	000377	000378	000379	000380	000381	000382	000383	000384	000385	000386	000387	000388	000389	000390	000391	000392	000393	000394	000395	000396	000397	000398	000399	000400	000401	000402	000403	000404	000405	000406	000407	000408	000409	000410	000411	000412	000413	000414	000415	000416	000417	000418	000419	000420	000421	000422	000423	000424	000425	000426	000427	000428	000429	000430	000431	000432	000433	000434	000435	000436	000437	000438	000439	000440	000441	000442	000443	000444	000445	000446	000447	000448	000449	000450	000451	000452	000453	000454	000455	000456	000457	000458	000459	000460	000461	000462	000463	000464	000465	000466	000467	000468	000469	000470	000471	000472	000473	000474	000475	000476	000477	000478	000479	000480	000481	000482	000483	000484	000485	000486	000487	000488	000489	000490	000491	000492	000493	000494	000495	000496	000497	000498	000499	000500	000501	000502	000503	000504	000505	000506	000507	000508	000509	000510	000511	000512	000513	000514	000515	000516	000517	000518	000519	000520	000521	000522	000523	000524	000525	000526	000527	000528	000529	000530	000531	000532	000533	000534	000535	000536	000537	000538	000539	000540	000541	000542	000543	000544	000545	000546	000547	000548	000549	000550	000551	000552	000553	000554	000555	000556	000557	000558	000559	000560	000561	000562	000563	000564	000565	000566	000567	000568	000569	000570	000571	000572	000573	000574	000575	000576	000577	000578	000579	000580	000581	000582	000583	000584	000585	000586	000587	000588	000589	000590	000591	000592	000593	000594	000595	000596	000597	000598	000599	000600	000601	000602	000603	000604	000605	000606	000607	000608	000609	000610	000611	000612	000613	000614	000615	000616	000617	000618	000619	000620	000621	000622	000623	000624	000625	000626	000627	000628	000629	000630	000631	000632	000633	000634	000635	000636	000637	000638	000639	000640	000641	000642	000643	000644	000645	000646	000647	000648	000649	000650	000651	000652	000653	000654	000655	000656	000657	000658	000659	000660	000661	000662	000663	000664	000665	000666	000667	000668	000669	000670	000671	000672	000673	000674	000675	000676	000677	000678	000679	000680	000681	000682	000683	000684	000685	000686	000687	000688	000689	000690	000691	000692	000693	000694	000695	000696	000697	000698	000699	000700	000701	000702	000703	000704	000705	000706	000707	000708	000709	000710	000711	000712	000713	000714	000715	000716	000717	000718	000719	000720	000721	000722	000723	000724	000725	000726	000727	000728	000729	000730	000731	000732	000733	000734	000735	000736	000737	000738	000739	000740	000741	000742	000743	000744	000745	000746	000747	000748	000749	000750	000751	000752	000753	000754	000755	000756	000757	000758	000759	000760	000761	000762	000763	000764	000765	000766	000767	000768	000769	000770	000771	000772	000773	000774	000775	000776	000777	000778	000779	000780	000781	000782	000783	000784	000785	000786	000787	000788	000789	000790	000791	000792	000793	000794	000795	000796	000797	000798	000799	000800	000801	000802	000803	000804	000805	000806	000807	000808	000809	000810	000811	000812	000813	000814	000815	000816	000817	000818	000819	000820	000821	000822	000823	000824	000825	000826	000827	000828	000829	000830	000831	000832	000833	000834	000835	000836	000837	000838	000839	000840	000841	000842	000843	000844	000845	000846	000847	000848	000849	000850	000851	000852	000853	000854	000855	000856	000857	000858	000859	000860	000861	000862	000863	000864	000865	000866	000867	000868	000869	000870	000871	000872	000873	000874	000875	000876	000877	000878	000879	000880	000881	000882	000883	000884	000885	000886	000887	000888	000889	000890	000891	000892	000893	000894	000895	000896	000897	000898	000899	000900	000901	000902	000903	000904	000905	000906	000907	000908	000909	000910	000911	000912	000913	000914	000915	000916	000917	000918	000919	000920	000921	000922	000923	000924	000925	000926	000927	000928	000929	000930	000931	000932	000933	000934	000935	000936	000937	000938	000939	000940	000941	000942	000943	000944	000945	000946	000947	000948	000949	000950	000951	000952	000953	000954	000955	000956	000957	000958	000959	000960	000961	000962	000963	000964	000965	000966	000967	000968	000969	000970	000971	000972	000973	000974	000975	000976	000977	000978	000979	000980	000981	000982	000983	000984	000985	000986	000987	000988	000989	000990	000991	000992	000993	000994	000995	000996	000997	000998	000999	001000	001001	001002	001003	001004	001005	001006	001007	001008	001009	001010	001011	001012	001013	001014	001015	001016	001017	001018	001019	001020	001021	001022	001023	001024	001025	001026	001027	001028	001029	001030	001031	001032	001033	001034	001035	001036	001037	001038	001039	001040	001041	001042	001043	001044	001045	001046	001047	001048	001049	001050	001051	001052	001053	001054	001055	001056	001057	001058	001059	001060	001061	001062	001063	001064	001065	001066	001067	001068	001069	001070	001071	001072	001073	001074	001075	001076	001077	001078	001079	001080	001081	001082	001083	001084	001085	001086	001087	001088	001089	001090	001091	001092	001093	001094	001095	001096	001097	001098	001099	001100	001101	001102	001103	001104	001105	001106	001107	001108	001109	001110	001111	001112	001113	001114
------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------